

Flex Carrier

Robust and payload-optimised: Your new trailer for transporting roll-off and skip containers

Container transport

Member of
SCHWARZMÜLLER
Group

Flex Carrier

The trailer for roller and skip containers meets the requirements for any job with the Hüffermann modular system.

Based on the roll carrier chassis, the Flex Carrier is a robust, payload-optimised trailer for transporting roller containers with a length of 5500 mm – 7000 mm according to DIN 30722 or skip containers with a volume of 5 m³ – 10 m³ according to DIN 30720/30720-1.



Flex Carrier modular system

The Hüffermann modular construction offers two key advantages: individual design, which is tailored exactly to your requirements and high-quality production – 100% “Made in Germany” guaranteed. Hüffer-

mann only uses first-class vehicle components from renowned manufacturers, so their durability pays off over the course of their service life. Why not contact us? We’d love to help you.



Flex Carrier

Flex Carrier versions

The right solution for every application



Your benefits

- + Robust construction
- + Chassis for high payload centres of gravity

Load securing system

The skips are fastened on the Flex Carrier with combined load securing. The skips are secured against sliding in the direction of travel and to the sides with adjustable stops. The containers are locked to the rear on the rear container mounting block with transverse lashing.



Centring Fix

Hüffermann attaches great importance to flexible and quick conversion of the load securing, to avoid time-consuming adjustments when dealing with different trough sizes. With the Flex Carrier, the patented Centring Fix makes it easy to adjust the side push-locks.



Adjustable lashing point

The chassis length of the Flex Carrier is defined by the combination of roller or skip containers. To be able to load a variety of different skip container types and designs, the lashing points are bolted onto a lashing rail and are therefore adjustable.



Load centre of gravity

Thanks to flexible lashing points on the outer frame and the corresponding push-locks, one or two containers of different sizes can be variably loaded respectively.

A set-down container at the centre of gravity



Your benefits

- + High payload
- + Effective for short hauls
- + Trusted components
- + Durable performance

Multi-Fix: Load securing without chains


This securing system is a time-saving load securing system, which locks the skip containers on the tilt bearing according to DIN 30720 and DIN 30720-1. The Multi-Fix

compensates for differences in dimension on slightly bent tilt bearings and is pressed in a neutral position when transporting roller containers.




Multi-Fix


Time-saving



Transferring





Positioning



Locking and driving off

We set standards as the market-leading manufacturer, showing off our strengths with detailed solutions for complete systems.



Wilhelm Schwarzmüller GmbH

Hanzing 11
4785 Freinberg · Austria
☎ +43 7713 800-0
✉ office@schwarzmueller.com
www.schwarzmueller.com

Wildeshausen sales office:

Ahlhorner Straße 89
27793 Wildeshausen · Germany
☎ +49 4431 94553-0
✉ info-vertrieb@hueffermann.de

Eltmann subsidiary

Schwarzmüller Deutschland GmbH
Industriestraße 20
97483 Eltmann · Germany
☎ +49 9522 30 449-0
✉ office.eltmann@schwarzmueller.com

Neustadt/Dosse plant:

Kampehler Straße 10
16845 Neustadt/Dosse · Germany
☎ +49 33970 996-0
☎ +49 33970 13216